

10801294

Refine Search

Search Results -

Terms	Documents
L1 and (glass ceramic indicator)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L7

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, June 21, 2005 [Printable Copy](#) [Create Case](#)

Set Name **Query**
 side by side

Hit Count **Set Name**
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L7</u>	L1 and (glass ceramic indicator)	0	<u>L7</u>
<u>L6</u>	L1 and (multilayer\$2 glass ceramic)	1	<u>L6</u>
<u>L5</u>	L1 and (plurality glass ceramic\$1)	2	<u>L5</u>
<u>L4</u>	L3 and (temperature or thermal or opaque)	225	<u>L4</u>
<u>L3</u>	L1 and (glass ceramic)	233	<u>L3</u>
<u>L2</u>	L1 and (metal oxide layer next to)	0	<u>L2</u>
<u>L1</u>	428/701	2468	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	glass ceramic indicator or glass ceramic detector
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Tuesday, June 21, 2005
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
<u>L9</u>	glass ceramic indicator or glass ceramic detector	3	<u>L9</u>
	DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ		
<u>L8</u>	L1 and (glass ceramic indicator or glass ceramic detector)	0	<u>L8</u>
<u>L7</u>	L6 and (glass ceramic)	44	<u>L7</u>
<u>L6</u>	L1 and (temperature indicator or thermal indicator or transparent opaque or optical change or color change)	1721	<u>L6</u>
<u>L5</u>	L1 and (temperature indicator or thermal indicator or otransparent opaque or optical change or color change)	1674	<u>L5</u>
<u>L4</u>	L1 and (temperature dependent composition)	0	<u>L4</u>
<u>L3</u>	L2 and (color composition)	2	<u>L3</u>
<u>L2</u>	L1 and (glass ceramic)	371	<u>L2</u>
<u>L1</u>	(422/55,57,58,61,82.05,82.09,82.12,83;428/701)![CCLS]	10067	<u>L1</u>

END OF SEARCH HISTORY

L1 different crystal composition30 L1

END OF SEARCH HISTORY

Freeform Search

Page 1 of 2

Freeform Search

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term:

L12 and (temperature or thermal or heat or
 cryogenic or cold or infrared or IR)

Display:

10

Documents in Display Format:

-

Starting with Number

60

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Tuesday, June 21, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
<u>L13</u>	L12 and (temperature or thermal or heat or cryogenic or cold or infrared or IR)	104	<u>L13</u>
<u>L12</u>	L11 and (transparent glass ceramic)	108	<u>L12</u>
<u>L11</u>	glass ceramic same opaque	855	<u>L11</u>
<u>L10</u>	temperature sensi\$4 glass ceramic or heat sensi\$4 glass ceramic or IR sensi\$4 glass ceramic	0	<u>L10</u>
<u>L9</u>	temperature sensing glass ceramic or temperature detecting glass ceramic	0	<u>L9</u>